Town of Moorcroft Regular Meeting of the Council Monday, August 10th, 2020

Town Council Present: Mayor Dick Claar, Councilmen Paul Smoot and Dale Petersen.

Town Council Absent: Councilman Owen Mathews and Ben Glenn

Town Representatives Present: Clerk/Treasurer Cheryl Schneider, Attorney Pat Carpenter and HDR

Engineer Heath Turbiville

Councilman Smoot motioned to approve the Consent Agenda and Councilman Petersen 2nd. All ayes, motion carried.

Clerk Schneider received the Wyoming Community Gas community project designation form for this year's distribution. The Town will receive \$4,013.32. Clerk Schneider explained to the audience for those using Wyoming Community Gas as their natural gas supplier a portion is given back to the Town to be used for community projects. Councilman Petersen motioned to designate the \$4,013.32 to be used toward park improvements and Councilman Smoot seconded. All ayes, motion carried. Clerk Schneider stated Candace Nelson submitted her resignation for her position on the MTC Board. Council asked to re-advertise the vacancy. Schneider is working on two grants for playground equipment and energy at the MTC. She updated Council on the progress of the progress on the lagoon financials and Ordinance 3-2020. She reminded everyone of the candidate forum Tuesday night at 7 pm at the MTC and the primary on August 18th at the MTC.

Mayor Claar updated the Council on the costs for the water line at the cemetery going to Robinson's land. Discussion was had on the cost of the 8" line verses the 2" line. Councilman Petersen motioned to move forward with a 2" water line from the shed at the cemetery to the top of the hill and Councilman Smoot 2nd. All ayes, motion carried.

Heath Turbiville updated Council on town projects. Chief Bryant updated Council in the police department.

With no further business, Councilman Smoot motioned to adjourn the meeting at 7:45 p.m. and Councilman Petersen seconded. All ayes, motion carried.

Dick Claar, Mayor

ATTEST:

Cheryl Sahmeider, Clerk/Treasurer